



# Equipment List

page 1 of 3  
ADCOT Industries, Inc.

**ADCOT TIP Program**  
2601 Market Street  
Garland, TX 75041

Phone: 800.527.4609  
(M-F 8:00AM -5:00 PM CST)  
Fax: 972.864.0530

Email: sales@ADCOTip.com  
www.ADCOTip.com

## Pre-Press:

Plate: Screen® Plate Right 8000 CTP 8pg direct to plate  
Film: Dolve® PSM 200 2pg Imagesetter 14" x 19" film size  
Screen 5120 8up Imagesetter. Max film size 31" x 43"  
(6) G4 Power Macintosh  
(2) Power Macintosh G3 400Mhz/9GB hard drive.  
(1) Starmax 4000 266 Mzh./2.5GB hard drive.  
(1) Power Mac 8100/110.  
(1) Pentium® 500 MHz (Dos/Windows/Windows 98®) – PC artwork (networked).  
(4) Pentium® 166 MHz (Dos/Windows/Windows 95®) – thermal transfer.  
(2) Pentium® II 400 MHz (Windows 98®)  
(1) Dual 800 MHz ATAPI 100 hard drive w/Matrox AGP Video (Windows 2000®)  
Miscellaneous:  
SGI® UNIX Based server, 140GB hard drive.  
(2) 512GB Tape back up and archive system  
Fuji® C550 scanner  
AGFA DuoScan (11" x 17" flatbed scanner)  
Rampage® Rip  
Anderson Vreeland 24" x 30" rotary combination flexo plate washout and exposure unit  
Kelleigh 310 24" x 30" rotary combination flexo plate wash out and exposure unit  
AGFA 24" x 30" contact frame

## Peripherals:

(1) Magneto Optical 72MB drive.  
(3) Zip Drive – 200MB (MAC & PC).  
(1) SCSI Jazz Drive – 1000MB.  
(6) Macintosh CD-ROMs (2 super drives).  
(1) Micronet 10.0 GB External Hard Drive.  
(1) Seagate 80GB Internal Hard Drive (Second hard drive in Starmax 4000).  
(1) Lacie re-writable CD unit.

## Output Devices:

(1) AGFA SelectSet Avantra 25 with on-line processor (18" x 24").  
(1) LaserWriter Pro 8500 (11" x 17" full bleed).  
(2) Epson Stylus Color 3000 (17" x 22" – 1440 dpi by 720 dpi).  
(1) Tektronix Phaser II Sdx (Thermal transfer printer).  
(1) LaserJet 4p – Laser Printer.  
(1) Sundance 4/color Thermal Transfer Printer.  
(1) Zebra Z-90xi – Thermal Transfer Printer.  
(4) Astromed Top Hard II – Thermal Transfer Printers.

## Proofing Systems:

Color Proof:  
Kodak® Approval XP Digital Color Proofing System  
Dupont® Color Proofing System  
Bluelines:  
HP® Designjet 1050 C 8-up Position Proofer  
Epson® 9000

## Software:

MAC/PC:  
Freehand®, Adobe Illustrator®, Photoshop®, File Maker Pro®, Quark XPress®,  
Pagemaker®, Corel Draw®, Preps®, Fontographer®, Acrobat®, Suitecase® Trap IT®,  
Office 98®, Microsoft Word®, Office 97®, Ice Fields® - Stochastic Screening for  
Imagsetting and various utilities.

## Offset Lithography Equipment:

- (1) 28" x 40" Heidelberg Speedmaster CD 102 - 6/color plus in-line coating tower.
- (1) 28"x 40" Heidelberg Speedmaster 102 FP Perfector - 5/color.
- (1) 14"x 20" Heidelberg GTO Perfector -5/color.
- (1) 13"x 20" Heidelberg Quickmaster - 2/color.

## Digital Printing Equipment:

- (1) Roland Hi-Fi Jet 52".
- (1) Roland Hi-Fi Jet Pro 52".
- (1) Roland Hi-Fi Jet Pro 62".

## Flexo Printing Equipment:

- (1) 8/color Webtron 1618 press (18" width) with 4 U.V. station capability. Maximum printing area 18" x 24" – 3 inline die stations, 4/color process with U.V. capability.
- (1) 8/color Aquaflex 16" press with 4 U.V. station capability. Maximum printing area 16" x 22" – 4 inline die stations, 4/color process U.V. capability.
- (8) 8/color Webtron 750 presses with 2 U.V. station capability. Maximum printing area 7- 1/2" x 15" front and back U.V. coating stations process U.V. capability.
- (1) 7/color Webtron 750 press with 1 U.V. station capability. Maximum printing area 7-1/2" x 15", 1/color/coating U.V. station.
- (2) 5/color Webtron 750 press with U.V. station capability. Maximum printing area 7-1/2" x 15", 1/color/coating U.V. station.
- (1) 3/color Webtron 750 press with 1 U.V. station and de-lamination. Maximum printing area 7-1/2" x 15", 1/color/coating U.V. station. Re-lamination capabilities (printing on adhesive or inner liner).
- (6) RotoFlex Slitters (variable widths) Maximum width is 18".

## Screen Press Equipment:

- (1) 1/color flatbed press: 52" x 84" maximum size with speeds up to 500 prints/hour.
- (1) 5/ color inline press: 54" x 120" image area.
- (1) 6/color carousel press: 30" x 40" image area.
- (1) 4/color carousel t-shirt press.

## Bindery/Folding:

Heidellberg Prosetter Saddle-stitcher  
Universal® FG 1100 XL Folder/Gluer  
Sulby® compact 4000 Perfect Binder  
Buskro® Inkjet Systems  
Dick Moll® Glue Bind pre-mailer

### Folders:

- Stahl Series 400 26"x 40" - 16 page signature folder
- MBO Continuous Feed 35" x 50"- 16 page signature folder
- Stahl 1220 Series 20" x 33" - 8 page signature folder

MBO BA-700 Paper Bander

Bourg® Collator System – 20 pocket

Buskro Tabbing System BK 530

BOBST® 1120E Die Cutter 28" X 40" w/stripping unit

Original Heidelberg Cylinder Press (Max. 21-1/4" x 28-11/32")  
(Min. 4-1/8" x 7-1/8")

### Miscellaneous:

- Polar 54" 137 ED Paper Cutter
- Polar RA4 Paper Jogger
- Polar 115 45" cutter
- Sure Feed Friction Feeder SF-150
- Shanklin Heat Sealer S-240
- CMC Round Corner System
- Nygren Dahly® 3-hole Drill
- Lawson® Drill w/3 hole, 7 hole, 14 hole capacity
- Weldotron Heat Tunnel 16"x 46"
- Stahl Automatic Stacker/Crusher Station SBP 66.2
- Heidelberg Windmill 10"x 13" Die Cutter & Numbering System
- Kluge Hand Fed 9-1/2" x 14" Die Cutter
- Stahl Knife Folder
- STS Hot Glue System STS-12-4H

## Tabbing:

1012 Datatech Tabbing Unit.

1020 Datatech Tabbing Unit.

Astro Tabbing Unit.

Buskro Tabbing System BK 530.